# **Digital Signage**Mounting Solutions

**Product Guide** 



## Fixed angle wall mounts

For digital signage applications where display angle is at eye level and doesn't require tilting.

## Small to medium displays

#### AD-30100-WF



Max load: 30kg **VESA:** 75x75, 100x100 Distance from wall: 14mm

#### TH-2250-VF



Max load: 50kg

VESA: 50x50, 75x75, 100x100, 120x180, 200x100, 200x200

Distance from wall: 16.5mm

## Medium to large displays

#### TH-3060-UF



VESA: From 100 to 600 wide From 100 to 400 high

Distance from wall: 25.5mm

#### TH-3070-UF



VESA: From 180 to 800 wide From 125to 500 high

Distance from wall: 39mm



## Portrait displays

## **Extra Heavy displays**

TH-3070-UFP



Max load: 70kg

VESA: From 200 to 400 wide From 200 to 600 high

Distance from wall: 33mm

#### TH-40100-UF



Max load: 150kg

VESA: From 200 to 800 wide From 200 to 600 high

Distance from wall: 39mm

#### **Recessed wall installations**

#### **ADB-VWP**




Max load: 50kg per display VESA: From 100 to 400 wide (or 600 using incl brackets) From 100 to 400 high





Distance from wall: Min. 88mm Max. 267mm



## **Small to medium displays**

#### SD-WD



Max load: 25kg VESA: 75x75, 100x100 Distance from wall: 77mm

#### AF-WD-P



**Max load:** 8kg **VESA:** 75x75, 100x100

Distance from wall: 102.5mm



## Medium to large displays

TH-2250-VTP



Max load: 30kg

**VESA**: 50x50, 75x75, 100x100, 200x100,

200x200\*

Distance from wall: 82mm

\*Cansupport 200x400, 300x300, 400x200, 400x400 via AC-AP-4040 adaptor plate (sold separately).

TH-3060-UT



Max load: 50kg

VESA:From 100 to 600 wide From 100 to 400 high

Distance from wall: 58mm

TH-3065-LPT



Max load: 40kg

VESA: From 100 to 600 wide From 100 to 400 high

Distance from wall: 35mm

TH-3070-UT



Max load: 91kg

VESA: From 180 to 800 wide From 125 to 500 high

Distance from wall: 72.5mm

## **Full motion** wall mounts

For smaller footprint installation with flexible viewing angle requirements.

## Small to medium displays

#### AF-AT-W-P



Max load: 8kg

VESA: 75x75, 100x100

Distance from wall: Min. 118mm

Max. 463mm

#### TH-1032-VFM



Max load: 25kg

VESA: 75x75, 100x100, 200x100, 200x200\*

Distance from wall: Min. 100mm

Max. 257mm

#### SD-AT-DW-BK



Min load: 3kg Max load: 9kg

VESA: 75x75, 100x100

Distance from wall: Min. 170mm

Max. 635mm

#### TH-1040-VFL



Max load: 35kg

VESA: 100x100, 100x150, 200x100, 200x200\*

Distance from wall: Min. 52mm

Max. 506mm

\*Can support 200x400, 300x300, 400x200, 400x400 via AC-AP-4040 adaptor plate (sold separately).



## Small to medium displays

#### TH-1040-VFM



Max load: 25kg

VESA: 75x75, 100x100, 200x100, 200x200\*

Distance from wall: Min. 106mm

Max. 455mm

\*Can support 200x400, 300x300, 400x200, 400x400 via AC-AP-4040 adaptor plate (sold separately).

#### TH-2050-VFM



Max load: 35kg

**VESA**: 100x100, 200x100, 200x200, 300x200, 300x300, 400x200, 400x300, 400x400

**Distance from wall:** Min. 100mm Max. 540mm

## Medium to large displays

#### TH-3060-UFL



Max load: 35kg

VESA: From 200 to 700 wide From 100 to 500 high

Distance from wall: Min. 49.5mm Max. 625mm

#### TH-3270-UFM



Max load: 65kg

VESA: From 150 to 800 wide From 140 to 500 high


Distance from wall: Min. 155mm Max. 635mm



## **Ceiling mounts**

Versatile pole ceiling mounts for a variety of commercial applications including way-finding, security and many more.

## **Small to medium displays**





Code	Description	Colour	Pole length, mm	
TH-1040-CTL	Ceiling Mount	Black	900 - 1800	
TH-1040-CTS	Ceiling Mount	Black	400 - 900	
TH-1040-CTSW	Ceiling Mount	White	400 - 900	
TH-1040-CT-B2B	Second display enabler, back-to-back	Black		
TH-1040-CT-DV	Second display enabler, vertical	Black		



## Medium to large displays







Code	Description	Colour	Pole length, mm
TH-3070-CTL	Ceiling Mount	Black	1050 - 1900
TH-3070-CTLW	Ceiling Mount	White	1050 - 1900
TH-3070-CTS	Ceiling Mount	Black	550 - 900

## **Mobile carts**

For presentation and web conferencing applications from corporate offices to schools and beyond.



#### AD-TVC

Max load: 50kg

VESA: From 75mm to 600mm wide From 75mm to 400mm high

Display height: Min. 1500mm

Max. 1630mm





Max load: 125kg

VESA: From 200mm to 800mm wide

From 200mm to 800mm high

Display height: Min. 1184mm

Max. 1884mm





#### TH-WH-PJ-CM

Max load: 15kg

VESA:From 65mm to 200mm

Distance from ceiling:

Min. 400mm Max. 900mm



#### TH-WH-PJ-FM

Max load: 15kg

VESA:From 65mm to 200mm Distance from ceiling: 127mm

## **ADM modular** mounting system

A range of interchangeable parts for custom digital signage mounting configurations (Wall, Floor and Ceiling).

### Menu boards and Video wall mounts



#### **ADMS**

Max load: 50kg per display

VESA: Flexible width

From 50 to 400 high

Code	Recommended display size	Configuration
ADMS-3x1-350-W	55-65"	3 x 1fixed angle, wall
ADMS-3x1T-270-W	42-49"	3 x 1tilting, wall
ADMS-3x1T-270-200-C	42-49"	3 x 1tilting, ceiling

## Pop-out mount for modular video wall installations





#### **ADB-VWP**

Max load: 50kg per display

VESA:From 100 to 400 wide

(or 600 using incl brackets)

From 100 to 400 high

Distance from wall:

Min. 88mm Max. 267mm



## Display stands & Floor-to-ceiling mounts

ADMS-1x2-50-300-CF



Max load: 50kg per display

VESA: Flexible width

From 50 to 400 high

Pole height: 3119mm

ADMS-1-50-180-F



Max load: 50kg per display

VESA: Flexible width

From 50 to 400 high

Post height: 1800mm

ADMS-2x2M-200-180-F



Max load: 50kg per display

VESA: Flexible width

From 50 to 400 high

Post height: 1800mm



## **ADW modular video wall** mounting system

A range of interchangeable parts for custom video wall configurations. Can be extended vertically and horizontally.

## Simple installation and maintenance



Post installation height adjustment and levelling



Displays are securely locked using small padlocks (not included)




Display support for easier cabling and service



Interconnecting plates for easier alignment



## **Landscape or Portrait mounting**





Build your bespoke configuration using our

### **VIDEO WALL CONFIGURATOR**

atdec.com.au/video-wall-configurator

Max load: 165kg per display

VESA: Flexible width

From 200 to 400 high (TH-VWV) From 200 to 800 high (TH-VWVP)

Code	Description	Orientation
TH-VWV	Bracket set	Landscape
TH-VWVP	Bracket set	Portrait

Code	Description
TH-VWP-050	500mm wall plate
TH-VWP-080	800mm wall plate
TH-VWP-100	1000mm wall plate
TH-VWP-160	1600mm wall plate

## Quick reference guide

Range of movement	Туре	Max load, kg	VESA, mm	Distance from wall/ceiling, mm	Product code
Fixed angle	Wall	30	75x75, 100x100	14	AD-30100-WF
Fixed angle	Wall	50	50x50, 75x75, 100x100, 120x180, 200x100, 200x200	16.5	TH-2250-VF
Fixed angle	Wall	50	100 - 600 wide, 100 - 400 high	25.5	TH-3060-UF
Fixed angle	Wall	70	200 - 400 wide, 200 - 600 high	33	TH-3070-UFP
Fixed angle	Wall	91	180 - 800 wide, 125 - 500 high	39	TH-3070-UF
Fixed angle	Wall	150	200 - 800 wide, 200 - 600 high	39	TH-40100-UF
Fixed angle, pop-out	Wall	50	100 - 400 wide (or 600 using incl brackets) 100 - 400 high	88 - 267	ADB-VWP
Tilt/Pan	Wall	8	75x75, 100x100	102.5	AF-WD-P
Tilt/Pan	Wall	25	75x75, 100x100	77	SD-WD
Tilt/Pan	Wall	30	50x50, 75x75, 100x100, 200x100, 200x200*	82	TH-2250-VTP
Tilt	Wall	40	100 - 600 wide, 100 - 400 high	35	TH-3065-LPT
Tilt	Wall	50	100 - 600 wide, 100 - 400 high	58	TH-3060-UT
Tilt	Wall	91	180 - 800 wide, 125 - 500 high	72.5	TH-3070-UT
Full motion	Wall	8	75x75, 100x100	118- 463	AF-AT-W-P
Full motion	Wall	3-9	75x75, 100x100	170 - 635	SD-AT-DW-BK
Full motion	Wall	25	75x75, 100x100, 200x100, 200x200*	100 - 257	TH-1032-VFM
Full motion	Wall	25	75x75, 100x100, 200x100, 200x200*	106 - 455	TH-1040-VFM
Full motion	Wall	35	100x100, 100x150, 200x100, 200x200*	52 - 506	TH-1040-VFL
Full motion	Wall	35	100x100,200x100, 200x200, 300x200, 300x300, 400x200, 400x300, 400x400	100 -540	TH-2050-VFM
Full motion	Wall	35	200 - 700 wide, 100 - 500 high	49.5 - 625	TH-3060-UFL
Full motion	Wall	65	150 - 800 wide, 140 - 500 high	155 - 635	TH-3270-UFM
Adjustable pole	Ceiling	25	75x75, 100x100, 200x100, 200x200*	400 - 900	TH-1040-CTS
Adjustable pole	Ceiling	25	75x75, 100x100, 200x100, 200x200*	900 - 1800	TH-1040-CTL
Adjustable pole	Ceiling	65	200 - 800 wide, 200 - 500 high	550 - 900	TH-3070-CTS
Adjustable pole	Ceiling	65	200 - 800 wide, 200 - 500 high	1050 - 1900	TH-3070-CTL
Mobile cart	Floor	50	75 - 600 wide, 75 - 400 high	1500 - 1630	AD-TVC
Mobile cart	Floor	125	200 - 800 wide, 200 - 800 high	1184 - 1884	TH-TVCH
Projector mounts	Ceiling	15	65 - 200	400 - 900	TH-WH-PJ-CM
Projector mounts	Ceiling	15	65 - 200	127	TH-WH-PJ-FM

<sup>\*</sup>Can support 200x400, 300x300, 400x200, 400x400 via AC-AP-4040 adaptor plate (sold separately).